


# Corporate Profile

## Corporate philosophy

We are committed to serving for development of the industry and the society by meeting customers' needs, realizing employees' happiness, and responding to shareholders' expectations through solid and fair corporate activities.



When we changed our company name from "Yamada Oil Machinery Manufacturing Co., Ltd." to "Yamada Corporation" in 1990, we also changed our logo to the current one, which we use to this day.



Head Office



Sagami Factory

During our previous fiscal year (April 2025–March 2026), the second year of our med-term management plan, Phase I, we maintained operations while our core system was suspended for about three months due to a cyberattack. However, sales of our diaphragm pumps remained strong, particularly in the United States, and a weaker yen also had a positive impact. As a result, net sales, operating profit, and ordinary profit hit record highs, allowing us to continue increasing dividends. We are deeply grateful to our group employees and business partners whose cooperation enabled us to overcome this difficult period.

The current fiscal year (April 2026–March 2027) marks the final year of our med-term management plan, Phase I. To take on new challenges under Phase II as we head into our next century, we will devote our full efforts this year to completely fulfilling the goals of the Phase I plan.

We have positioned our pump business as a key engine for growth. By building a system to supply our flagship diaphragm pumps to various regions and markets worldwide and providing the specific quality required by each, we aim to become a top global brand. To support this global expansion, we are enhancing our Sagami-hara factory to the next stage, aiming to increase productivity through human-friendly digital technology.

Our automotive business, a core domestic operation, is expected to see significant market and needs changes, such as the rise of EVs. We will continue to support the foundation of this business by anticipating and capturing future needs.

At the core of all our businesses are our people. We will make this a year of growth for our next century by developing employees who embody the three values of our "Human Resources Vision:" "Change," "Customer Focus," and "Co-creation."

Finally, as Charles Darwin said, "It is not the strongest of the species that survives, nor the most intelligent, but the one that is most responsive to change." In this era beyond imagination, we will adapt firmly to environmental changes to ensure we survive, continuing our efforts to become an enterprise that is increasingly indispensable to everyone.

We ask for your continuous support and encouragement in the coming year.



Shotaro Yamada,  
President and Representative  
Director of Yamada Corporation

June, 2026

Shotaro Yamada

President and Representative Director of Yamada Corporation



## ***For the Next Century, with YAMADA PRIDE***

We aim to further refine the Yamada Quality cultivated over the past 100 years, support the foundation of the automotive industry, and position our pump business, which is utilized in various industries, as our growth engine.

Our goal is to continue contributing to society as a global company for the next 100 years.



# About Our Products

All Yamada products lubricate customers' field site. Starting with grease pumps for automobiles in 1905, Yamada products now include not only air-driven pumps for safe transport of liquids in various fields but also maintenance equipment using grease and oil, various types of vehicle service equipment, and stationary vacuum systems for better work environments. These products are not often seen, but our products support people working in a broad range of industries as an indispensable infrastructure for the world.

| [Pumps]                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                        |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                           |                                                                                                                                                                                    |
| Diaphragm pumps                                                                                                                                                                                                         | Drum pumps / Siphon pumps                                                                                                                                                                                                                                                                                             | Electric powered grease gun /<br>Hand operated grease gun                                                                                                                                                                                                                                                                   | Grease/Oil hand bucket pumps                                                                                                                                                                                                                                          |
| <b>Diaphragm pump series</b>                                                                                                                                                                                            | <b>Piston pump series</b>                                                                                                                                                                                                                                                                                             | <b>Grease gun series</b>                                                                                                                                                                                                                                                                                                    | <b>Lubricating equipment</b>                                                                                                                                                                                                                                          |
| Diaphragm pumps are driven by compressed air, so they can be used safely, without requiring explosion-proof measures for liquid transfer/transport, of volatile or flammable materials, or in hazardous atmospheres.    | Hard materials like putty, sticky materials like adhesives, non-flowable oils and fats like grease and other similar materials can be pumped directly from the container and pushed out for direct connection to your work. In addition, these pump units wipe the inside of the containers clean to eliminate waste. | As the most widespread grease pouring tools, they are available from hand-filling to cartridge types that can be selected for various applications. The electric powered gun allows you to fill grease by simple switch operation. This is ideal for maintenance of construction machinery, large vehicles, elevators, etc. | Oil/Grease can be supplied with a manual pump. These grease/oil lubricators use air powered pumps driven by compressed air from compressors. They feature high performance, excellent safety, and easy operation. They are used for production line maintenance work. |
| <b>Series products</b>                                                                                                                                                                                                  | <b>Series products</b>                                                                                                                                                                                                                                                                                                | <b>Series products</b>                                                                                                                                                                                                                                                                                                      | <b>Series products</b>                                                                                                                                                                                                                                                |
| <ul style="list-style-type: none"> <li>● Small pumps with 1/4" to 1" diameters</li> <li>● Large pumps with 1-1/2" to 3" diameters</li> <li>● Fluorine resin chemical pump</li> <li>● Sanitary diaphragm pump</li> </ul> | <ul style="list-style-type: none"> <li>● Drum pumps / Siphon pumps</li> <li>● Divorced drum pump oil pump kit</li> <li>● 140/250 series high-viscosity pump units</li> <li>● Pail high-viscosity pumps</li> </ul>                                                                                                     | <ul style="list-style-type: none"> <li>● Hand operated grease guns</li> <li>● Electric powered grease guns</li> <li>● Air powered grease guns</li> <li>● Nozzle Micro® Hose</li> </ul>                                                                                                                                      | <ul style="list-style-type: none"> <li>● Grease/Oil hand bucket pumps</li> <li>● Grease/Oil air powered pumps</li> <li>● Lub drum set (fueling cart)</li> <li>● Grease foot-pedal pump</li> </ul>                                                                     |

## Quality Policies

We have established the following quality policies to implement our management philosophy of "Customer Satisfaction First", and hereby declare that we will continue providing high quality products and services:

### Quality Policy 1

We strive to work with quality awareness in all related departments so that we can respond to customer requests. (Quality / Delivery / Price / Development / Service)

### Quality Policy 2

Based on our quality policies, each department sets quality targets, manages the results while measuring the status of implementation and the degree of achievement, and makes continuous improvements while confirming the effectiveness of the quality management system.

### Quality Policy 3

We not only comply with various laws, regulations, and standards required for the products and services we provide, but also pursue high morality as a company.

### Quality Policy 4

To be a company trusted by customers and recognized by society, we make constant efforts to raise awareness and improve ourselves, and continue to take on the challenge of developing the company.



Diaphragm pumps



A/C recharge and maintenance stations



Stationary vacuum system

## [Car maintenance equipment] only for Japanese market

## [Work environment improvement equipment] only for Japanese market



Portable tire air inflator / CFC changer



Hose reel



Electric powered exhaust hose reel



Welding fume /Fine dust collecting device

### Automobile maintenance equipment

This is mainly used for automobile maintenance work at gas stations, automobile maintenance shops, etc. Used for checking and filling tire pressure and changing oil for automatic cars to improve vehicle safety, it also includes environmentally friendly CFC changers and other various maintenance devices.

#### Series products

- Portable tire air inflators
- Oil drains
- ATF/CVTF changers
- CFC changers

### Hose reel series

The service hose is reeled in by spring force, and can be pulled out to a convenient length when used. Hose reels are mounted on ceilings, walls, floors, etc., and are used for greasing, oiling, and air filling.

#### Series products

- YR series (air, code, control)
- YSR series (air, water, oil, high-pressure hot water, grease)
- Stainless hose reels (water, hot water, high-pressure hot water)
- Control valves (mechanical batch meter)

### Vehicle exhaust gas extraction systems

Yamada's exhaust gas extraction systems are offered from simple hose units to exhaust hose and sliding exhaust systems, and you can select the most suitable system depending on vehicle's exhaust volume and a place of installation.

#### Series products

- Electric powered exhaust hose reels
- Simple exhaust hoses, single and double
- Fans
- Filter boxes

### Stationary vacuum system

A weld filter unit and a filter cart are the optimal dust extraction device for collecting and exhausting welding fume and lightweight iron powder. Since hazardous substances are also filtered with a built-in filter and then discharged, a safe and clean work environment can be realized.

#### Series products

- Welding fume /Fine dust collecting devices
- Arm type welding fume /fine dust collecting devices

**We have obtained ISO9001 certification and declared compliance with EC Directive standards.**



The ISO9000 series is an international standard for quality control and quality assurance established in 1987 by the International Organization for Standardization (ISO). Production and quality systems are evaluated to obtain the ISO9000 series, and companies that conform to it are certified, so it can be said that this standard responds to the requirements of customers.



The CE mark can only be attached to products that comply with the safety regulations set forth by the EC Directive. This mark is required for exports to the EC region, though it is an international trend for the EC market to acquire the ISO9000 series. The CE mark differs from ISO in that it is not a certification, but a declaration of conformity to EC directive standards by the company itself.

# About Our Company

Since its foundation in 1905, our company has been a manufacturer specializing in liquid transfer for more than 100 years.

From the beginning, we have been steadily expanding our “customer-oriented product manufacturing” for more extensive customers, and as a result, we have now established bases not only in Japan but also in the United States, Europe, China, and Thailand, transforming ourselves into a global company with distributors in 80 countries around the world.

Yamada’s products continue to support the infrastructure of society in every part of the world.



## ◎Company information

- Trade name: Yamada Corporation
- Establishment: December 20, 1939
- Capital: 600 million yen
- President and Representative Director: Shotaro Yamada
- Number of employees: 338 employees in group total (as of March 31, 2026)
- Net sales: 16,226 million yen on consolidated basis  
10,478 million yen on non-consolidated basis (as of March 31, 2026)
- Sales composition: Automotive division: 22.4%  
Industrial division: 66.0%  
Other: 11.6% (as of March 31, 2026)


## ◎Business lineup

- Air pumps, diaphragm pumps, and system products for pumping fluids such as oil, grease, paint, adhesives, ink, and chemicals in various industrial fields.
- Lubrication equipment such as hand pumps, bucket pumps, and lubricators for oil and grease.
- Tire service equipment, environmental maintenance equipment such as exhaust gas emission systems and refrigerant gas-related equipment (for domestic Japanese market).

The Yamada Corporation Sagamihara Plant has been recognized as a "Sagamihara SDGs Partner."



## History





## YAMADA GROUP

### ◎Domestic bases\*

#### ● Headquarters

#### ● Sales Offices

- Sapporo Sales Office
- Sendai Sales Office
- Tokyo Sales Office
- Nagoya Sales Office
- Osaka Sales Office
- Hiroshima Sales Office
- Fukuoka Sales Office

### ◎Factory and subsidiaries

**Sagamihara Factory**  
1-2-38 Miyashimo, Chuo-ku,  
Sagamihara-city, Kanagawa 252-0212

**Yamada Products Service Co., Ltd.**  
3-12-13 Nishihashimoto, Midori-ku,  
Sagamihara-city, Kanagawa 252-0131  
Web: <https://www.yps-sagami.co.jp/>

**Yamada Metaltech Co., Ltd.**  
3-12-9 Nishihashimoto, Midori-ku,  
Sagamihara-city, Kanagawa 252-0131

\*Please refer to page 8 for contact information of each domestic base.

### ◎Overseas bases

**YAMADA AMERICA, INC.**  
955 E.Algonquin Rd., Arlington Heights, IL 6005, U.S.A  
Web: <https://www.yamadapump.com/>

**YAMADA EUROPE B.V.**  
Aquamarijnstraat 50, 7554 NS Hengelo(O), The Netherlands  
Web: <https://www.yamada-europe.com/>

**YAMADA Shanghai Co., Ltd.**  
Building No.12, No.1500 Zuchongzhi Road, Pudong New District,  
Shanghai 201203, PR China.  
Web:<https://www.yamadapump.cn/>

**YAMADA (THAILAND) CO., Ltd.**  
41/79 Moo 6. Bangcha-long.  
Bangplee, Samutprakarn 10540, Thailand  
Web: <https://yamada-th.co.th/>

## After 2000

**2004**  
Declared compliance with EC Directive standards.

**2007**  
Established Yamada (Shanghai)  
Pump Trading Co., Ltd. in China.

**2005**  
Celebrated the 100th year in business.

**2014**  
Opened a representative office  
in Bangkok, Thailand.

**2016**  
Established YAMADA (THAILAND) Co., Ltd.  
in Thailand.  
Closed the representative office  
in Bangkok, Thailand.

**2022**  
Sagamihara Factory was renovated.

**2025**  
Celebrated the 120th year in business.





<https://www.yamadacorp.co.jp>

Headquarters and Domestic Sales Division 1-1-3 Minamimagome, Ota-ku, Tokyo 143-8504

Overseas Sales Division 1-2-38 Miyashimo, Chuo-ku, Sagamihara-city, Kanagawa 252-0212

Sapporo Sales Office 6-3-16 Misono Nijo, Toyohira-ku, Sapporo-city, Hokkaido 062-0002

Sendai Sales Office 2-2-3 Osawa, Izumi-ku, Sendai-city, Miyagi 981-3137

Tokyo Sales Office 1-1-3 Minamimagome, Ota-ku, Tokyo 143-8504

Nagoya Sales Office 7-38 Obatamiyanokoshi, Moriyama-ku, Nagoya-city, Aichi 463-0052

Osaka Sales Office 1-2-20 Suwa, Joto-ku, Osaka-city, Osaka 536-0021

Hiroshima Sales Office 5-18-2 Iguchi, Nishi-ku, Hiroshima-city, Hiroshima 733-0842

Fukuoka Sales Office 5-18-14 Itazuke, Hakata-ku, Fukuoka-city, Fukuoka 812-0888

Sagamihara Factory 1-2-38 Miyashimo, Chuo-ku, Sagamihara-city, Kanagawa 252-0212



[Our website is here!]

\*Please note that the products described in this brochure are subject to change without notice due to improvements.

Revised in 2026.07